

Case 5:07-cv-02754-JF Document 17-3 Filed 09/28/2007 Page 2 of 4
English translation of hospital
record (Previous page)

History

Name: Chengyi Zhang
Date of Birth: 10/30/1935

Beijing Hua Shin Hospital, Tsinghua University Affiliate Hospital

The patient had got cold and fever in 1981, the urine regular test showed Pro+++. The patient was diagnosed as acute glomerulonephritis. The patient's condition turned better through herbal medicine treatment, the urine regular test turned negative.

The patient had got cold and fever in 1998, the urine regular test showed Pro+++, the kidney function not well. The patient's condition did not get better through treatment of Kaltong #4 (3 times/day), Kidney recovery herb and blood pressure control medicine.

The test result of Crea on 2001 is 1190mmol/L, so the patient started the dialysis treatment since then. The patient has been dialyzed for 4 years since 2001. He has been doing outpatient conventional hemodialysis for 3 times per week at the duration of 4.5 hours per time. The anticoagulate for HD is 5000u of low molecule heparin, with the continuous infusion of regular heparin of 6.5 mg/h. The patient occasionally had the problem of blood pressure drop due to eating or dehydration rate is too fast. Otherwise, the process of dialysis goes smoothly.

The patient sometimes has the acute complication of hypotension, and taking medication to control the blood pressure as regular base.

The diagnosis are: chronic glomerulonephritis, end state renal disease, hypertension, renal anemia

The patient have not get any serious condition and is not hospitalized till 06/25/2005.

The patient is normal on other aspects.

病历记录

姓名

(第 页)

门诊号

住院号

1. Name (姓名): Zhang Chengyi (张成义)

2. Sex (性别): Man

3. Age (年龄): 70 y

4. dialysis frequency (透析频率):

three times per week (每周三次)

5. dialyzer (透析器):

Fresenius Polysulfone capillary dialyzer F6
effective surface area: 1.8 m²

6. dialysate (透析液):

carbonate (碳酸盐)

7. dialysis time (透析时间): 4.5 hour

8. dry weight (干体重): 65 kg

9. anti coagulant (抗凝剂):

bolus of heparin: low molecular weight heparin 7000^u
heparin: 5mg/hour

10. blood flow rate (血流量, 泵速): 260ml/min

11. dialysate flow rate (透析液流量): 500ml/min

TOTAL P.01

English translation of previous
page

The First Hospital of Tsinghua University

Name : Zhang Chengyi **Sex:** Male **Age:** 69 yrs

Diagnosis:

Chronic glomerulonephritis

End stage renal disease

Hypertension

Renal anemia

The patient was dialyzed for 4 years .

HD prescription : conventional hemodialysis

Frequency: 3 times/week duration: 4.5hours

Blood flows :260ml/min

Dialysate flows:500ml/min

Dialyzer: FreseniusF6

Dialysate composition:bicarbonate solution

Dry weight: 65kg

Anticoagulation for HD:5000u Of low molecule heparin,continuous infusion of regular heparin :6.5mg/h

Acute complication: the patient sometimes had hypotension

The latest laboratory results:look at the list